



2841 Ginger Beige



Mandate 2™





[The main body of the page contains dense, illegible text, likely a list or table of data, which is heavily obscured by noise and artifacts.]



244 Red Brown



245 Grey Blue



246 Grey Black



2841



2847



2844



2848

2848 Region Blue

Specifications

Construction	1/12th Inch Multi-Level Loop Graphic
Fibre	100% BCF Solution Dyed Synthetic
Pile Weight	ca. 815g/m ² (24 oz/y ²)
Total Weight	ca. 3400g/m ² (100 oz/y ²)
Pile height	ca. 4mm (+/-0.5mm)
Total height	ca. 6mm (+/-0.5mm)
Backing	ECO Back - "PVC Free"
Density	5486
Size per Tile	50x50cm
Tiles per Box	20 pcs (5 m ²)

Warranties

10-year Carpet Wear Warranty
Lifetime Antishock Carpet Warranty

Ideal for Medium Contract Use.

The subfloor should be dry, smooth, flat, dust-free and resistant to compression and load-bearing.

Where seaming is necessary, a seam sealant **must** be used for all such installations.

Due to dyelot variations, actual material may vary slightly from the samples.

Chair pads are recommended to prevent premature wear of carpet.

Performance (as tested by ITTS Inc. USA)

Stain Resistance	9 (AATCC-175-2003)
Static Control	Less < 4 KV (AATCC 134-1996)
Tuft Bind	8.0 lbs (ASTM-D-1335)
Dimensional Stability	< 0.1% change (AACHEN)
Flammability	
Radiant Panel	>= 0.35 watts/cm ² (ASTM-E-648-06)
Pill Test	8 (ASTM-D-2859-06)
Smoke Density	Max 450 (ASTM-E-662-06)
Colourfastness	
to light	5 (AATCC-16E)
to wet & dry crocking	5 (AATCC-165)
to ozone	5 (AATCC-129)

Environment

The design and production of Mandate 2 Tile conforms to the ISO 14001:2004 Environmental Management System and complies with environmental regulations.

As a responsible manufacturer and to minimize our carbon footprint, a majority of our excess production materials are recycled in-house resulting in a minimum of 10% recycled content in our tile backing.

Mandate 2 Tile is an environmentally friendly "green" carpet.