



6795 Coach Beige


HERITAGETM
CARPETS

Tiffany 2






• Stain-resistant • Anti-static • Flame-retardant



6781a Blue



6781b Brown



6781c Black



6791 Tonic Black

Specifications

Construction	1/10" Inch Level Loop Pile
Fibre	100% Invista® Solution Dyed Nylon
Pile Weight	ca. 750g/m ² (22 oz/y ²)
Total Weight	ca. 3500g/m ² (103 oz/y ²)
Pile Height	ca. 3.0mm (+/-0.5mm)
Total Height	ca. 5.5mm (+/-0.5mm)
Stitches	11 per inch
Backing	Eco Backing with Fibre Glass Layer (PVC-Free Tile)
Size per Tile	50x50cm
Tiles per Box	20 pc (5 m ²)

Warranties

10-year Carpet Wear Warranty
Lifetime Antishock Carpet Warranty

Ideal for Heavy Commercial Use.

The subfloor should be dry, smooth, flat, dust-free and resistant to compression and load-bearing. The seams may remain visible to the eye and this should be accepted as an inherent characteristic of carpet tiles. Due to dyelot variations, actual material may vary slightly from the samples. Chair pads are recommended to prevent premature wear of carpet.



Performance (as tested by ITTS Inc. USA)

Static Generation	Less < 4 KV (AATCC 134-1996)
Tuft Bind	7.1 lbs (ASTM-D-1335)
Dimensional Stability	Max 2.4% change (AACHEN)
Flammability	
Radiant Panel	>= 0.89 watts/m ² (ASTM-E-648-06)
Pill Test	Self-extinguishing (ASTM-D-2859)
Smoke Density	Max 170 (ASTM-E-662-06)
Colourfastness	
to light	5 (AATCC-16E)
to wet & dry cleaning	5 (AATCC-16S)
to Ozone	5 (AATCC-129)


Environment

The design and production of Tiffany 2 Tile conforms to ISO 14001:2004 Environmental Management System and complies with environmental regulations.

As a responsible manufacturer and to minimize our carbon footprint, a majority of our excess production materials are recycled in-house resulting in a minimum of 10% recycled content in our tile backing.

Tiffany 2 Tile is an environmentally friendly "green" carpet.

Recommended Laying Method



Elegance & Comfort in Modern Living